

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	170	711/202-209.ccls. and "714"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/11 16:54
S2	0	711/202-209.ccls. and "714"/\$.ccls. and (remove detach) near ((block near device) disk dasd)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/11 18:15
S3	5	711/202-209.ccls. and (remove detach) near ((block near device) disk dasd)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/11 16:56
S4	23	711/209.ccls. and "714"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/11 17:46
S5	0	711/209.ccls. and "714"/\$.ccls. and page near out	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/11 18:06
S6	78	single with page near out	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/11 18:07
S7	17	single with page adj out	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/11 18:07
S8	16	711/202-209.ccls. and 714/7.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/12 17:21
S9	9	711/202-209.ccls. and 714/7.ccls. and (remove replace\$4 detach)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/11 18:36

S10	281	711/202-209.ccls. and flush	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/11 18:37
S11	41	711/202-209.ccls. and flush same remov\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/11 18:54
S12	0	711/202-209.ccls. and 714/7.ccls. and flush	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/11 18:39
S13	3	711/202-209.ccls. and flush same remov\$5 same replac\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/11 18:40
S14	1	711/202-209.ccls. and flush same remov\$5 near (block dasd disk)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/11 18:55
S15	56	flush same remov\$5 near (block dasd disk)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/11 19:26
S16	23	purge same remov\$5 near (block dasd disk)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/11 19:20
S17	4	pag\$4 near out same remov\$5 near (block dasd disk)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/11 19:38
S18	908	pag\$4 near out same (block dasd disk)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/11 19:38
S19	472	pag\$4 near out with (block dasd disk)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/12 11:39

S21	1	(single all solitary) near pag\$4 near out with (block dasd disk)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/12 11:40
S22	5	(single all solitary) near4 pag\$4 near out with (block dasd disk)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/12 17:17
S23	5	prepar\$5 with removable near (drive dasd)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/12 17:20
S24	2	deactivat\$4 with removable near (drive dasd)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/12 17:20
S25	2	deactivat\$4 with removable near (drive dasd card)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/12 17:20
S26	10	prepar\$5 with removable near (drive dasd card)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/12 17:20
S27	3	711/202-209.ccls. and 710/301-304.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/12 17:37
S28	21	(safely prepar\$6) near remov\$7 and 710/301-304.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/12 17:25
S29	0	711/202-209.ccls. and hot near swap near (drive card dasd)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/12 17:39
S30	7	711/202-209.ccls. and (umount unmount)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/12 17:39

S31	17	711/202-209.ccls. and (umount umount\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/12 17:42
S32	2	("6883063").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/12 18:00
S33	8406	(contiguous continuous) with pag\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/12 18:01
S34	0	(contiguous continuous) with pag\$4 and "711"/\$.ccls	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/12 18:01
S35	0	(contiguous continuous) with pag\$4 and "710"/\$.ccls	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/12 18:01
S36	0	(contiguous continuous) with pag\$4 and "714"/\$.ccls	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/12 18:26
S37	148	USB with remove	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/12 18:34
S38	0	USB with detach\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/12 18:34
S39	0	USB same detach\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/12 18:35
S40	723	USB same detach\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/12 18:35

S41	0	USB same detach\$5 and 711/202-209.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/12 18:35
S42	393	USB with detach\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/12 18:35
S43	70	USB with detach\$5 and pag\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/12 18:36
S44	0	USB with detach\$5 same ((pag\$4 adj out) flush purge)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/12 18:37
S45	8	USB with detach\$5 and ((pag\$4 adj out) flush purge)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/13 11:21
S46	15	((("6,601,135") or ("6,233,666") or ("6,119,214") or ("5,940,868") or ("5,860,144") or ("5,835,925") or ("5,796,978"))).PN	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/13 11:24
S47	12	((("5,721,858") or ("5,652,873") or ("5,446,854") or ("5,392,415") or ("5,058,003") or ("4,730,249"))).PN	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/13 11:25
S48	0	2003/0097536 2003/0005257	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/13 11:25
S49	4	"20030097536" "20030005257"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/13 11:25
S50	13	(S46-S47-S49) and contiguous	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/13 17:00

S51	272	ofek.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/13 17:00
S52	53	ofek.in. and symmetrix	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/13 17:02
S53	0	ofek.in. and (symmetrix near "5" symmetrix5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/13 17:02
S54	44	ofek.in. and symmetrix and (detach\$6 remov\$6 disengag\$4 disabl\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/13 17:07
S55	44	ofek.in. and symmetrix and (detach\$6 remov\$6 disengag\$4 disabl\$5) and single	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/13 17:40
S56	2	ofek.in. and symmetrix and (detach\$6 remov\$6 disengag\$4 disabl\$5) and single near (pag\$4 request command)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/14 10:58
S57	5	tivoli.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/14 10:58
S58	0	tivuli.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/14 10:59
S59	423	ti\$li.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/14 11:02
S60	41	uts and ibm	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/14 11:04

S61	165	migrat\$5 near (disk block near device dasd card)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/14 11:06
S62	106	migrat\$5 near (disk block near device dasd card) and single	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/14 11:07
S63	22	migrat\$5 near (disk block near device dasd card) and single near (operation command pag\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/14 12:14
S64	121	migrat\$5 near (data) and single near (operation command pag\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/14 12:16
S65	44	migrat\$5 near (data) and single near (operation command pag\$5) and (replac\$5 detach\$5 remov\$6 disabl\$5) near (disk block dasd card)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/14 12:17
S66	2	"20050086442"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/14 16:06
S67	2	(online on near line) near memory with replac\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/14 16:10
S68	106655	memory with (replac\$6 remov\$9)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/14 16:10
S69	77	memory with (replac\$6 remov\$9) same pag\$5 near out	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/14 16:23
S70	6	memory near module with (replac\$6 remov\$9) same pag\$5 near out	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/14 16:24

S71	0	memory near module with hot same pag\$5 near out	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/14 16:24
S72	115	memory near module with hot	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/14 16:27
S73	1	memory near module with hot and request near (remov\$6 replac\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/14 16:30
S74	1959	memory near module with (remov\$6 replac\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/14 16:31
S75	14	memory near module with (remov\$6 replac\$5) and pag\$5 near out	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/14 16:35
S76	3	(online on near line on-line) with memory near module with (remov\$6 replac\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/14 16:36
S77	2	("6883063").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/18 18:04
S78	5	714/7.ccls. and pag\$4 near out	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/18 18:10
S79	569	714/7.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/18 18:11
S80	56	714/7.ccls. and replac\$6 near memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/18 18:11

S81	2	("5392415").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 12:57
S82	7	("4093985" "4150428" "4456966" "4584681" "5235687" "5742613" "5787464").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/24 14:55
S83	4	("6295591").URPN.	USPAT	OR	OFF	2005/10/24 15:02